# **ELECTRONICS OVERHAUL**

# CONNECT by 7-ELEVENTM



# OVERVIEW

- INTRODUCTION | 5
- BULK PROGRAM | 7
- INNOVATION: CABLES + CHARGERS | 21
- INNOVATION: AUDIO | 34
- PRODUCT UPGRADES | 48

# 



# **EASY-SHOP ELECTRONICS**



# UNBEATABLE PRODUCT SELECTION

# BULK PROGRAM

# BULK COUNTER DISPLAY


#### **DISPLAY FEATURES**

- Customizeable Rack Arrangements with Small, Medium and Large Bins
- Bright Colors with Consistent 7-Eleven App Branding
- Compact Design with Organized Tray Assortment
- See-Through Sides for Encouraged Consumer Product Interaction
- Screen Mount in Phone View to Highlight Product Features, Interact and Relate to Consumer's needs
- Reach In Bins are Easy to Stock and Re-Stock
- New "GO" Branding Element added to Differentiate between Bulk and High-End Connect Line



FRONT VIEW

SIDE VIEW



# BULK PACKAGING

#### PACKAGING FEATURES

- Touch and Feel Unique Open Packaging Design
- Bright Colors With Consistent 7-Eleven Connect Branding
- Compact Design With Organized Tray Assortment
- Floating Earbuds Draw Attention and Show Off Unique Product Features
- MFI Cables are MFI Certified
- Type C Cables are USB-IF Certified
- Earbuds are iPx4: Sweat Proof and Water Resistant
- All Products are UL Certified to Offer Consistent Protection for Customer's and their Devices
- All Cables Have Exposed Tips Allowing Customer to Plug Their Devices In to Ensure Correct Product Pick



# **BULK MICRO USB CABLE**

#### PRODUCT SPECS

Cable Material: Nylon Braided PVC, Wide: 6mm Colors: Green, Blue, Orange, Black, White, Pink

Tip Detail: Micro USB


Effective Amperage: Upgrade from 1A to 2.1A

Length of Cable: 3ft Wire Type: 28AWG\*4C Shielding: Foil










# **CURRENT VALUE 3ft MICRO USB CABLE**





# BULK TYPE C **USB CABLE**

#### PRODUCT SPECS

Cable Material: PVC, OD=3.5mm

Colors: Green, Blue, Orange, Black, White, Pink

Tip Detail: Type C Effective Amperage:3A Length of Cable: 3ft

Wire Type: 30AWG\*1P+24AWG\*1C+D(28/0.10BC)


Shielding: AL+B(16/5/0.08TC)











# BULK APPLE CABLE

#### PRODUCT SPECS

Cable Material: Braided PVC OD=3.0mm

Colors: Green, Blue, Orange, Black, White, Pink

Tip Detail: C48 Lightning Effective Amperage: 2.4A Length of Cable: 3ft

Wire Type:PVC 3.0\*4C\*1M 24AWG\*2C+30AWG\*2C+AB

Shielding: 64/0.06MM











BACK

# BULK **AUDIO CABLE**

#### PRODUCT SPECS

Cable Material: Nylon Braided PVC, OD=3.0mm Colors: Green, Blue, Orange, Black, White, Pink

Tip Detail: 3.5mm Jack

Housing: Injection Molded Plastic

Length of Cable: 3ft Wire Type: 8AWG\*3C









# **BULK** STEREO EARBUD

#### PRODUCT SPECS

Cable Length: 1.2 Meter Cable Type: Round Housing: ABS Colors: Green, Blue, Orange, Black, White, Pink

Driver Unit: 10mm

Frequency Response: 20Hz-20KHz

Water Resistance: iPx4 Sweat and Water Resistant

Impedance: 32 Ohms Sensitivity: 100 dB

Accessories Included: S/M/L Earbud Pad













SIDE



# **BULK SPORT** STEREO EARBUD

#### PRODUCT SPECS

Cable Length: APX 120 cm +/- 5% , 3 mm wide

Cable Type: Flat PVC Refelctive Cord

Housing: ABS

Earbud Colors: Black With Accent Color Green, Blue, Orange, Black, White or Pink

Driver Unit: 10 mm, Dome Type Frequency Response: 20 Hz ~ 20 KHz Headphone Type: Open Dynamic

Water Resistance: iPx4 Sweat and Water Resistant

Weight: 12 Grams

Impedance: 16 Ohms +/- 10%

Sensitivity: 3.5 mm plug (6 mm max diameter)

Microphone:

Unit of Microphone: Electret Condenser Microphone

Accessories Included: S/M/L Earbud Pads












SIDE







## **BULK DUAL USB** WALL CHARGER

#### PRODUCT SPECS

Product Covering: PC with Silk Touch Coating

Feature: Folding Prong

Product Color: Black with Highlight Color

USB Housing Material: Injection Molded Plastic, Metal and Copper/1.3\*0.5cm

Input: AC100-240V Output: DCSV-2.1A IC Type: SMD









# **BULK DUAL USB CAR CHARGER**

#### PRODUCT SPECS

Product Covering: PC with Silk Touch Coating Product Color: Black with Highlight USB

USB Housing Material: Injection Molded Plastic, Metal and Copper/1.3\*0.5cm


Input: DC12/24V Output: 5V/2.1A IC Type: PSR







# INNOVATION CABLES + CHARGERS + MOUNTS



# 3-IN-1 USB **BRAIDED CABLE**

#### PRODUCT SPECS

Cable Material: PVC, Braided Fabric Covering, OD=4.0mm Tip Detail: USB to Type C, Lightning, Micro Effective Amperage:2.4A Length of Cable: 3ft Wire Type:PVC 3.0\*4C\*1M 24AWG\*2C+30AWG 2C+AB

#### **FEATURES**

Blister Card Highlights Each Tip and is Easy-To-Read Wide Compatibility: Micro USB Cable with Lightning and Type-C adapters Durable Braided Nylon Cable and Aluminum Housing Charge and Sync Capability 2.4A Rapid Charge Capability














#### APPLE ADAPTOR LIGHTNING TO AUX PORT

#### APPLE ADAPTOR LIGHTNING AND AUX PORT

#### APPLE ADAPTOR DUO LIGHTNING PORT

#### PRODUCT SPECS

Connect 3.5mm Audio Devices to Lightning Port No Reduction to Sound Quality Portable Design, Take anywhere!





#### PRODUCT SPECS

Dual functionality: Charge & Play Music at the Same Time No reduction to Sound Quality Portable Design, take anywhere!





#### PRODUCT SPECS

Works With Any Apple device that runs iOS 10 or later MFi-certified Lightning to USB and Audio Headphones Portable Design, Take Anywhere!







### 1AMP **WIRELESS CHARGER**

#### PRODUCT SPECS

1A Max Power Output Offered in Black and White Charge Any Qi Enabled Device Small, Lightweight and Portable Micro USB Cable Included Qi Certified













## 2AMP **WIRELESS CHARGER**

#### PRODUCT SPECS

2A Max Power Output Offered in Black and White Rapidly Charge Qi Enabled Devices Small, Lightweight and Portable Micro USB cable included Qi Certified













# **WIRELESS** CAR CHARGER

#### PRODUCT SPECS

Qi Certified Easy Lock and Release Full 360 Degree Viewing Input: DC 5V/2A

Output: 5V/2A

Transmission Power: 5W Transmission Distance: 3-8mm Charging Efficiency: 60% Working Frequency: 100-150KHZ Dimensions: 94x108x92mm 3ft Micro Charging Cable Included













5AMP-4 PORT **WALL CHARGER** 



#### QUICK CHARGE **CAR CHARGER**

#### PRODUCT SPECS

1 Qualcomm 3.0 Quickcharge USB port

3 1A USB Ports

Folding Prongs for Easy Travel

Input: 100-240V

Output: QC 3.0 5V3A (QC 3.0: DC 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A)

Housing: PC Total Output 5.1A Power: 25.5W

Dimensions: 58x58x28mm









#### PRODUCT SPECS

3.0A Power Output Super Speed USB Certified Quckcharge 3.0 Port Charge Device Up to 80% in 30 min 2 USB Ports 2.1A Output











# 2A FABRIC COVERED **WIRELESS POWER BANK**

#### PRODUCT SPECS

Qi Certified 4000mAh Max Capacity 2A Max power Output Soft Fabric Wrap Input: 5V/2A Output: 5V/2A Wireless Output:5V/1A Capacity: 4000mAh Transmission Power: 5W No-Load loss: 60-500mW Charging Efficiency: <73%Charging Distance:<8mm









# 6000MAH **POWER BANK**

#### PRODUCT SPECS

On-the-Go Backup Charger 6000mAh Max Power Capacity, 2 Extra Charges! 2.1A Max Power Output Micro USB Cable Included















## **VENT MOUNT**

#### PRODUCT SPECS

Quick and Easy Vent Mounting Double Vent Clips for Increased Stability Portrait/Landscape 360 Degree Viewing Small and Discreet







#### PRODUCT SPECS

Safe and Reliable Magnet Mounting Install Metal Plates on Device or Inside/Outside Case Portrait/Landscape 360 Degree Viewing Quick and Easy Install Small and Discreet











# WINDOW SUCTION MAGNETIC MOUNT


#### PRODUCT SPECS

Safe and Reliable Magnet Mounting
Install Metal Plates on Device or Inside/Outside case
Portrait/Landscape 360 Degree Viewing
Quick and Easy Window Install
Secure Suction Base
Easy, Clean Suction Removal
Compact for Easy-Sight Navigation









# INNOVATION AUDIO STATION

# APPLE EARBUDS

#### PRODUCT SPECS

Connect Earbuds Directly Into iPhones/IPad with Lightning Port

Water Resistance: iPx4 Sweat and Water Resistant

Comfortable Fit

High Quality Stereo Sound

Built in Volume and Mic Control Plus Siri Command

Cable Material: PVC OD= 3.5mm

Colors: White

Tip Detail: C48 Lightning Length of Cable: 4ft

Impedance: 16 Ohms +/- 10%

Sensitivity: 3.5 mm plug (6 mm max diameter)

Wire Type: 23AWG\*1C+30AWG\*2C

Shielding: 20AWG

















# WIRELESS SOUND-PODS

#### PRODUCT SPECS

Earbud Colors: White

Frequency Response: 20Hz - 20KHz

Headphone Type: Wireless

Water Resistance: iPx4 Sweat and Water Resistant

Impedance: 32 Ohms

Battery Charge Time: 1-2 Hours Battery Life: 5-6 Hours

Mic Frequency: 2.40 GHz

Supplied Accessories: Charging Case + Cable

Bluetooth Technology: B4.2 + EDR

Range: 12 Meters Frequency: 2.40 GHz


















# **REGULAR EARBUDS**

### PRODUCT SPECS

Cable Length: 4 ft

Cable Type: Reflective, Fabric Braided Cable

Earbud Color: Black, White, Blue

Driver Unit: 10 mm

Frequency Response: 20k hz Headphone Type: Wired

Water Resistance: iPx4 Sweat and Water Resistant

Weight: 13 Grams Impedance: 16 Ohms Sensitivity: 92 +/- 3dB

Microphone:

Frequency: 100 Hz - 8000 Hz Unit of Microphone: -42dB +/- 3dB

Supplied Accessories: S/M/L Silicone Tips / User Manual












#### WATERPROOFING

#### IMPROVEMENTS:


- Upgrade to IPX4 Sweat and Splash-Proof Safety Rating
- Water Resistant Net Added to Ear Casing
- Great Addition to Sport-Style Earbuds to Help Resist Water and Sweat



### EARBUD TECHNICAL IMPROVEMENTS



### EARBUD TECHNICAL IMPROVEMENTS



# **Bluetooth**<sup>©</sup>

# **WIRELESS SPORT EARBUDS**

#### PRODUCT SPECS

Cable Length: 55cm

Cable Type: TPE Flat Cable with Reflective Feature

Earbud Colors: Blue Driver Unit: 10 mm

Frequency Response: 20Hz-20KHz Headphone Type: Bluetooth

Water Resistance: iPx4 Sweat and Water Resistant

Impedance: 16 Ohms Sensitivity: 93+/-3dB

Battery Charge Time: 2.5 Hours

Battery Life: 3 Hours

Microphone: Noise Canceling

Supplied Accessories: S/M/L Silicone Ear Pieces, Charging Cable, User Manual

Bluetooth Technology: JR 4.2

Range: 10 Meters

















# **Bluetooth**<sup>©</sup> **WATER RESISTANT SPEAKER**

#### PRODUCT SPECS

Dimensions: 3 x 3 x 1.5 inches

Operating Range: 33 ft Speaker Driver: 3W

Water Resistance: iPx6 Shock and Water Resistant

Impedance: 4 Ohms Sensitivity: 93+/-3dB

Battery Charge Time: 1.5 hours

Battery Life: 4 hours

Supplied Accessories: USB Charging Cable + Audio Cable

for Plug-And-Play Operation, Includes a Clip for Portable, Easy Travel

Bluetooth Technology: JR 4.2











# **Bluetooth**<sup>®</sup> **WIRELESS SPEAKER**

#### PRODUCT SPECS

Dimensions: 92\*80\*30mm Operating Range: 10M Speaker Driver: 3W

Water Resistance: iPx4 Water Resistant

Impedance: 4 Ohms Sensitivity: 93+/-3dB

Battery Charge Time: 1.5 hours

Battery Life: 2 hours

Supplied Accessories: USB Charging Cable + Audio Cable

for Plug-And-Play Operation Bluetooth Technology: JR 4.2


















### SPEAKER TECHNICAL IMPROVEMENTS



### SPEAKER TECHNICAL IMPROVEMENTS

# PRODUCT UPGRADES



### **UPGRADED MICRO USB CABLES**

	CURRENT CONNECT MICRO USB CABLES				<b>PROPOSED</b> MICRO USB	<b>CURRENT</b> TYPE C
<b>COMPARED</b> FEATURES	CURRENT VALUE 3ft MICRO USB CABLE	CURRENT 4ft MICRO USB CABLE	CURRENT 9ft MICRO USB CABLE	CURRENT RETRACTABLE MICRO USB CABLE	UPGRADED MICRO USB CABLE	CURRENT TYPE C CABLE
Effective Amperage	1 AMP	1.2 AMP	1 AMP	1 AMP	2.1 AMP	3 AMP
Wire Gauge + Count	28 AWG*4C	30 AWG*4C	30 AWG*4C	28 AWG*4C	30*0.1*2C+10*0.1*2C	28 AWG*1P+21AWG*1C
Protective Jacket	PVC	Fabric	Fabric	PVC	Fabric + PVC	PVC
Shielding	NONE	NONE	NONE	NONE	Dual Shielding	AL+B(16/7/0.1TC)
Ground Conductor	NONE	NONE	NONE	NONE	Thick/High Wire Count	Thick/High Wire Count
Cable Thickness	6mm Wide	3mm	3.3mm	6mm Wide	3.5mm	3.5mm
Power Loss	High	High	High	High	Low	Low
Overall Durability	***	***	***	***	****	****

### MICRO CABLE COMPARISON

# MICRO USB CABLE

### Braided 4ft

#### PRODUCT SPECS

Cable Material:Fabric, OD: 3.3mm

Tip Detail: Micro USB

Effective Amperage: Upgrade from 1.2A to

2.1A

Length of Cable: 1.22m, 4ft

Wire Type: Upgrade From 30AWG\*4C to

30\*0.1\*2C+10\*0.1\*2C

Shielding: Dual-Shielding Foil







### Braided 9ft

#### PRODUCT SPECS

Cable Material: fabric, OD:3.3mm


Tip Detail:Micro USB

Effective Amperage: Upgrade from 1A to 2.1A


Length of Cable: 2.74m 9ft

Wire Type: upgrade from 30AWG\*4C to


45\*0.12\*0.1\*2C+15\*0.1\*2C Shielding: Dual-Shielding Foil







### CURRENT 4ft MICRO USB CABLE



### **CURRENT 9ft MICRO USB CABLE**



### RETRACTABLE MICRO USB CABLE

#### PRODUCT SPECS

Cable Material: PVC, wide: 6mm

Colors: Black/ White Tip Detail: Micro USB

Effective Amperage: Upgrade from 1A to 2.1A

Length of Cable:N/A Wire Type: 28AWG\*4C

Shielding: Foil











#### PROTECTIVE JACKET

#### PROPOSED IMPROVEMENTS:

#### **POWER WIRE**

#### PROPOSED IMPROVEMENTS:

#### SIGNAL WIRE

#### **PROPOSED IMPROVEMENTS:**

#### SIGNAL WIRE


#### **PROPOSED IMPROVEMENTS:**

#### **GROUND WIRE**

#### PROPOSED IMPROVEMENTS: /



### **CURRENT RETRACTABLE MICRO USB CABLE**







### APPLE LIGHTNING CABLE

### Braided 4ft

#### PRODUCT SPECS

Cable Material: White Nylon Braided + PVC

OD = 3.5 mm

Tip Detail: C48 Lightning Effective Amperage: 2.4A Length of Cable: L=1.22m, 4FT Wire Type: 23AWG\*1C+30AWG\*2C

Shielding: Foil









### Braided 9ft

#### **PRODUCT SPECS**

Cable Material: White Nylon Braided + PVC

OD= 4.5mm

Tip Detail: C48 Lightning Effective Amperage: 2.4A Length of Cable: L=2.75m, 9FT

Wire Type: 18AWG Shielding: Foil







# RETRACTABLE **APPLE CABLE**

#### PRODUCT SPECS

Cable Material: ABS Material Colors: Black/ White Tip Detail: Lightning Connector Effective Amperage: 2.4A Length of Cable: 90cm Wire Type: 24AWG\*2C+30AWG\*2C

Shielding: Yes









# TYPE C **USB CABLE**

### 4ft

#### PRODUCT SPECS

Cable Material: PVC OD= 3.5mm Colors: Gun Metal Grey Tip Detail: Type C Effective Amperage: 3A

Length of Cable: L=1.22m, 4FT Wire Type: 28AWG\*1P+21AWG\*1C Shielding: AL+B(16/7/0.01TC) Foil

### 6ft

#### PRODUCT SPECS

Cable Material: PVC OD= 3.5mm Colors: Gun Metal Grey

Tip Detail: Type C Effective Amperage: 3A

Length of Cable: L=2.74m, 9FT Wire Type: 26AWG\*1P+21AWG\*1C Shielding: AL+B(16/7/0.01TC) Foil














### TYPE C USB CABLE ANATOMY



